

Hydraulic workshop press

WPP 160 HBK

Heavy duty with moving piston and two piston speeds



Article Number ▼

4013160

VK Price Informations ▼

9,199.00 €

Additional Costs ▼

Total 259.00 €

TVP3 59.00 €

TPZDF1 200.00 €

Availability ▼

In stock

Immediate delivery

Brand ▼

Metallkraft

Catalog Path ▼

Metalworking machines » Press » Hydraulic workshop presses, motorized » Series WPP HBK

Order ▼

Minimum 1 pc(s).



Shipment Informations ▼

Packaging Metrics		Weights		Delivery	
Length	n/a	Gross	1,480 kg	Delivery	Special transportation
Width	n/a	Net	1,480 kg	Content	1 pc(s).
Height	n/a				

Description ▼

- Increased stability due to improved design of the machine base, cylinder adjustment via handle and hand wheel, manometer on the machine side
- Suitable for assembly and straightening work as well as for workpiece checks or the pressing and pressing of bearings and other components
- Ideal for technical workshops, repair shops and technical training facilities
- With two piston speeds and pressure regulation by throttle screw
- Pressure gauge for pressure gauge
- Heavy machine frame welded from steel profiles to absorb the resulting compressive force of the cylinder
- The hydraulics work extremely precisely in both electrical and manual mode
- Adjustment of the cylinder via rack to handwheel
- Heavy and robust welded construction
- More extensive accessories

- Quality made in Europe


Equipment details

- Convenient and clear operation of the hydraulic unit
- Sturdy frame construction while flatter construction
- Quick and easy adjustment of the cylinder via rack and handwheel
- Easy table height distribution with the help of the hydraulic cylinder and fastening bolts

Technical Data ▼

General Features			
Pressure force	160 t	Piston stroke	400 mm
Piston travel	550 mm	Lowering speed	10 mm/s
Press speed	1.5 mm/s		
Dimensions and weights			
Length (product) approx.	1950 mm	Width/depth (product) approx.	1000 mm
Height (product) approx.	2450 mm	Net weight approx.	1480 kg
Clear width	1020 mm	Max. installation height	1020 mm
Frame depth	300 mm		
Electric Data			
Drive motor output	1.5 kW	Supply voltage	400 V
Phase(s)	3 Ph	Current type	AC
Hydraulic system			
Hydraulic oil tank capacity	30 l	Hydraulic oil operating capacity	30 l

Set Articles ▼



Hydraulic oil HLP 46 Precis 20l



Article Number ▼
3880041

Availability ▼
In stock
Immediate delivery

Order ▼
Minimum 1
bucket(s)

Price Informations ▼
45.00 €

Accessories ▼



Perforated plate 160 t



Article Number ▼
4106160

Availability ▼
No stock available
Delivery time on
request
Next availability
Unknown

Order ▼
Minimum 1 pc(s).

Price Informations ▼
589.00 €



Pressure spike set DDS WPP160

**Article Number** ▼

4107160

Availability ▼

No stock available
Delivery time on
request
Next availability
Unknown

Order ▼

Minimum 1 pc(s).

Price Informations ▼

125.00 €



Prism block set PMBSET-WPP160HBK

**Article Number** ▼

4105160

Availability ▼

No stock available
Delivery time on
request
Next availability
Expected on
calendar week
10/2021

Order ▼

Minimum 1 Set

Price Informations ▼

489.00 €

The prices quoted are subject to change. Price changes reserved. Our terms and conditions apply. Jurisdiction is Bamberg. The place of performance is Hallstadt as agreed.