

The Kärcher logo, consisting of the word "KÄRCHER" in a bold, black, sans-serif font, with a yellow horizontal bar underneath it. The background of the entire advertisement is a photograph of a person in a tan uniform and black boots using a high-pressure water sprayer on a stone-paved area. A red metal frame and a gas-powered pressure washer unit are also visible in the background.

KÄRCHER

INTUITIVE DESIGN, EXCEPTIONAL RESULTS.

Clean smarter with the re-engineered HD Gas Plus Series cold water pressure washer.

PROFESSIONAL | HD GAS PLUS SERIES

HD GAS PLUS SERIES



Redesigned for power, comfort, and convenience.

Clean faster and more comfortably with the HD Gas Plus Series cold water pressure washer. We have enhanced our renowned modular aluminum frame and improved maneuverability by equipping it with larger wheels. Enjoy the convenience of an integrated wand holder and a handy hose hanger for tidy storage. Plus, the new vibration isolation power platform enhances stability and reduces vibration. With a comfortable grip and improved serviceability for easy maintenance, tackling cleaning jobs has never been more effortless. The redesigned HD Gas Plus Series is here. Let's get washing!



POWERED by
HONDA



1 Mobile and Durable

- Choose between direct or belt drive
- Low profile handle with cushioned grip is easy to push and pull
- Larger flat free tires are puncture proof and allow you to effortlessly navigate any terrain, from smooth pavement to rough job sites
- Reliable commercial-duty Honda GX gasoline engines with a 3-year warranty
- Durable VRT3 unloader with bypass loop diverts water flow when trigger gun is not activated
- Models equipped with either a Kärcher, General Pump or AR high-pressure pump

2 Modular Design

- Can transition from cart to skid (with skid feet accessory) design for versatile cold water cleaning applications
- Compact footprint with weld free, corrosion resistant aluminum frame
- Vibration dampeners strategically placed to absorb vibration, preventing the unit from "walking" when in use

3 Adaptable

- Integrated wand and hose storage
- 50 ft. gray, non-marking hose
- Drain hose for pump & motor oil
- Electric start models come with 12V battery
- Convenient nozzle storage

Technical data and equipment.

TECHNICAL DATA										
Model	Part No.	GPM	PSI	Drive	Pump	Engine	Electric Start	CC	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HD 3.0/27 G	1.107-503.0	3.0	2700	Direct	Kärcher KPP2535	GX200	No	196	145	45.2 x 25.3 x 29.9
HD 3.5/35 G	1.107-504.0	3.5	3500	Direct	Kärcher KPP3035	GX270	No	270	166	45.2 x 25.3 x 29.9
HD 4.0/40 G	1.107-505.0	4.0	4000	Direct	Kärcher KS4040	GX390	No	389	185	45.2 x 25.3 x 29.9
HD 4.0/40 Ge	1.107-506.0	4.0	4000	Direct	Kärcher KS4040	GX390 E/S	Yes	389	208	45.2 x 25.3 x 29.9
HD 3.0/27 G AR	1.107-513.0	3.0	2700	Direct	AR RCV3G27D-F7	GX200	No	196	180	45.2 x 25.3 x 29.9
HD 3.5/35 G AR	1.107-514.0	3.5	3500	Direct	AR RRV3G36D	GX270	No	270	213	45.2 x 25.3 x 29.9
HD 4.0/40 G AR	1.107-515.0	4.0	4000	Direct	AR RRV4G40HD-F24	GX390	No	389	228	45.2 x 25.3 x 29.9
HD 4.0/40 Ge AR	1.107-516.0	4.0	4000	Direct	AR RRV4G40HD-F24	GX390 E/S	Yes	389	251	45.2 x 25.3 x 29.9
HD 3.0/27 G GP	1.107-523.0	3.0	2700	Direct	GP EP1506G6	GX200	No	196	228	45.2 x 25.3 x 29.9
HD 3.5/35 G GP	1.107-524.0	3.5	3500	Direct	GP EP1309G8	GX270	No	270	251	45.2 x 25.3 x 29.9
HD 4.0/40 G GP	1.107-525.0	4.0	4000	Direct	GP EP1313G8	GX390	No	389	138	45.2 x 25.3 x 29.9
HD 4.0/40 Ge GP	1.107-526.0	4.0	4000	Direct	GP EP1313G8	GX390 E/S	Yes	389	166	45.2 x 25.3 x 29.9
HD 3.0/27 GB	1.107-507.0	3.0	2700	Belt	Kärcher KBP3030R	GX200	No	196	181	45.2 x 25.3 x 29.9
HD 3.5/35 GB	1.107-508.0	3.5	3500	Belt	Kärcher KPP3035G1	GX270	No	270	204	45.2 x 25.3 x 29.9
HD 4.0/40 GB	1.107-509.0	4.0	4000	Belt	Kärcher KM3840R.3	GX390	No	389	179	45.2 x 25.3 x 29.9
HD 4.0/40 GeB	1.107-510.0	4.0	4000	Belt	Kärcher KM3840R.3	GX390 E/S	Yes	389	208	45.2 x 25.3 x 29.9
HD 5.0/30 GB	1.107-511.0	5.0	3000	Belt	Kärcher KM4035R.3	GX390	No	389	223	45.2 x 25.3 x 29.9
HD 5.0/30 GeB	1.107-512.0	5.0	3000	Belt	Kärcher KM4035R.3	GX390 E/S	Yes	389	245	45.2 x 25.3 x 29.9
HD 3.0/27 GB AR	1.107-517.0	3.0	2700	Belt	AR RRA35G30N	GX200	No	196	223	45.2 x 25.3 x 29.9
HD 3.5/35 GB AR	1.107-518.0	3.5	3500	Belt	AR RRA4G40N	GX270	No	270	245	45.2 x 25.3 x 29.9
HD 4.0/40 GB AR	1.107-519.0	4.0	4000	Belt	AR RRA4G40N	GX390	No	389	143	45.2 x 25.3 x 29.9
HD 4.0/40 GeB AR	1.107-520.0	4.0	4000	Belt	AR RRA4G40N	GX390 E/S	Yes	389	164	45.2 x 25.3 x 29.9
HD 5.0/30 GB AR	1.107-521.0	5.0	3000	Belt	AR RRA55G30N	GX390	No	389	178	45.2 x 25.3 x 29.9
HD 5.0/30 GeB AR	1.107-522.0	5.0	3000	Belt	AR RRA55G30N	GX390 E/S	Yes	389	201	45.2 x 25.3 x 29.9
HD 3.0/27 GB GP	1.107-527.0	3.0	2700	Belt	GP EP1513S17	GX200	No	196	183	45.2 x 25.3 x 29.9
HD 3.5/35 GB GP	1.107-528.0	3.5	3500	Belt	GP ES2010S	GX270	No	270	212	45.2 x 25.3 x 29.9
HD 4.0/40 GB GP	1.107-529.0	4.0	4000	Belt	GP ES2010S	GX390	No	389	227	45.2 x 25.3 x 29.9
HD 4.0/40 GeB GP	1.107-530.0	4.0	4000	Belt	GP ES2010S	GX390 E/S	Yes	389	249	45.2 x 25.3 x 29.9
HD 5.0/30 GB GP	1.107-531.0	5.0	3000	Belt	GP ES2013S	GX390	No	389	227	45.2 x 25.3 x 29.9
HD 5.0/30 GeB GP	1.107-532.0	5.0	3000	Belt	GP ES2013S	GX390 E/S	Yes	389	249	45.2 x 25.3 x 29.9

ACCESSORIES		ACCESSORIES	
Order No.	Description	Order No.	Description
■ 4.760-846.0	Trigger Gun Classic G3/8	□ 8.921-618.0	Non-Marking Hose 3/8" x 50' 4K Gray A+ SOxSW
■ 8.925-129.0	Hose, 50' x 3/8", 1w, TS, SOxSW	□ 9.808-467.0	Trailer kit (fittings, skid feet & low pressure hoses)
■ 8.783-040.0	Lance 44" zinc plated, handle & coupler	□ 9.808-468.0	Skid Feet (4 skid feet)
□ 8.753-572.0	A+ Surface cleaner SC21	□ 9.808-469.0	Hose Reel (Bracket Only) - Direct Drive
□ 8.753-573.0	A+ Surface cleaner SC24	□ 9.808-470.0	Hose Reel (Bracket Only) - Belt Drive
□ 8.765-909.0	Injector 6' Vinyl Hose & Foot Valve Gray	□ 9.808-471.0	Self-Retractable Hose Reel w/Jumper Hose & Adapters
□ 9.302-242.0	Legacy Turbo Nozzle 3.5, 4350 PSI	□ 8.765-910.0	Injector Adjustable Hi-Draw 1.8 Acid Version (HD 3.0/27 G)
□ 9.302-243.0	Legacy Turbo Nozzle 4.0, 4350 PSI	□ 8.765-911.0	Injector Adjustable Hi-Draw 2.1 Acid Version (HD 3.5/35 G, HD 4.0/40 G)
□ 8.925-229.0	Legacy Hose 100' x 3/8" ID, 4500 PSI, 2-Wire, Smooth Cover, Black	□ 8.765-912.0	Injector Adjustable Hi-Draw 2.3 Acid Version (HD 5.0/30 G)
■ Included □ Optional			

WARNING: Gas engine pressure washers can expose you to chemicals including Lead and Diisononyl Phthalate, which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Tel. 888-805-9852



www.karcher.com/us/professional



KarcherUSA



@kaercher_us_professional



karchercommercial



karcher-us



KarcherUSA