



JPG to PDF Lite

HAND
Hazard!
Watch your fingers

BAY 3
BAY 3

BAY 4
BAY 4

AC POWER
FILTERS POWER
PRISM RES. VDC
RETICLE RES. VDC
RETICLE/PRISM COOLER CONTROLLER



JPG to PDF Lite

Impressed Disclosure, Connecticut, SP-0111-000-0120
300 Cambridge Ave., Andover, MA 01810 Fax: 978-686-0120
Part # 300-0111-000-0120
Serial # 300-0111-000-0120
Date 3/1/01
Made in USA

IF INDICATOR IS RED
REPLACE FILTER

ROBOT VACUUM



点検-8

SUPPLY AIR



点検-7

SUPPLY VACUUM



点検-6

JPG to PDF Lite

PURGING INSTRUCTION:
1. TURN COOLING POW.
2. ROTATE BOTH VALVE
3. AFTER DRAINING, RO
VALVE TO "OFF"

RETURN TO SERVICE (NORMAL)
1. ROTATE RETURN VALVE TO "NORMAL" FIRST
2. ROTATE SUPPLY VALVE TO "NORMAL" LAST
3. TURN COOLING POWER ON.

COOLER
RETURN

COOLER
SUPPLY

NORMAL


PURGE

UltratechStepper Inc.
UTILITY PANEL

SUPPLY
DR H2O
RETURN
H2O
SUPPLY
H2O
VACUUM
ROBOT
SUPPLY
VACUUM



JPG to PDF Lite



JPG to PDF Lite

The image shows a custom-built electronic device, likely a microcontroller-based system, mounted on a metal frame. The device features a prominent red top plate with a circular cutout and a small white LED indicator. It is connected to various cables, including green and black ones, and is surrounded by other electronic components and wiring. A small white label with the word "Storage" is visible on the left side of the device. The background is dark, suggesting an indoor setting.

使用ランプ BML-1003FAL

WARNING

DO NOT OPEN LAMP CHAMBER OR PROPERTY DAMAGE
COULD RESULT IF YOU OPERATE LAMP WITHOUT
THE PROPER WIRE ATTACHED TO THE LAMP
CHAMBER.

DO NOT OPEN WHEN LAMP IS ON OR WHEN
LAMP CHAMBER IS HOT. LAMP CONTAINS
HAZARDOUS MATERIAL.

REFER TO MAINTENANCE MANUAL FOR PROPER SAFETY
PRECAUTIONS DURING LAMP CHANGING AND SERVICE
OF THE LAMP CHAMBER.

JPG to PDF Lite

CAUTION
DO NOT TOUCH
FACE PLATE

**HAND
HAZARD!**
Watch your fingers



JPG to PDF Lite



JPG to PDF Lite



MAIN ON
INDICATOR

1
ON

0
POWER OFF

PANIC OFF

1
ON

0
LASER LAMP OFF

LASER ON

J141 (F)

J139 (X)

J143 (A)

J137 (Y)

POWER
ΔV1
ΔV2

POWER
ΔV1
ΔV2

+15VDC

-15VDC

CAUTION

MVME
147-013

COGNEX

COMBO

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

HP

STATUS

RUN

SCON

RMT RST

ABORT

RESET

FAIL

RUN

PARALLEL I/O

CAMERA 1

COM 1

COM 2

MONITOR

ADDR

DATA

CE

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

BS

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect

Meas Signal

Ref Signal

Meas Unlock

Ref Unlock

Overflow

User Defined

Measurement

Reference

Multi-Axis Interconnect





#04-40 / 41

BML-1003FAL

WARNING

HAND HAZARD

JPG to PDF Lite



JPG to PDF Lite

S/N 49

CAUTION
DO NOT USE ACETONE
ON STAGE PLATEN
MAY DAMAGE SURFACE PERMANENTLY

HAND
HAZARD!
Watch your fingers

使用ランプ BML-100W

WARNING

CAUTION

 **HAND
HAZARD!** 
Watch your fingers

BAY 3
BAY 3

BAY 4
BAY 4

JPG to PDF Lite

50.00W
DELTA 100W POWER
RECYCLE PRISM COOLER CONTROLLER
RECYCLE PRISM COOLER CONTROLLER



JPG to PDF Lite

S/N 49

CAUTION
DO NOT USE ACETONE
ON STAGE PLATEN:
MAY DAMAGE SURFACE PERMANENTLY

**HAND
HAZARD!**
Watch your fingers

JPG to PDF Lite



JPG to PDF Lite

 **HAND
HAZARD!**
Watch your fingers

BAY 3

BAY 4

JPG to PDF Lite



AC POWER
FELTHERS POWER
PRISM REG. VDC
RETICLE REG. VDC
RETICLE/PRISM COOLER CONTROLLER
Lithotech Stepper

**HAND
HAZARD!**
Watch your fingers

JPG to PDF Lite

CAUTION TURN OFF POWER
BEFORE REMOVING
CIRCUIT BOARDS

Panel with gauges and controls:

- GAUGES: 5-Y STAGE, RET. PRESS, CHUCK CLAMP HI, CHUCK CLAMP LO
- PNEUMATIC CONTROLLER (Ultratech Stepper)
- ILLUMINATOR CONTROLLER (Ultratech Stepper)
- Buttons: LAMP ON, LAMP OFF, REVERSE, STOP, ON, PUMP
- Switches: NO2, NO1

Panel with circuit boards:

- 12 slots for circuit boards
- Labels: BAY 1, BAY 2





JPG to PDF Lite





JPG to PDF Lite



JPG to PDF Lite




HAZARDOUS VOLTAGE
MAX. VOLTAGE 2200 VDC

RADIATION POWER SYSTEMS, INC.
MODEL 3060 IGNITER
TYPE 2-061-15-02078
SERIAL 330 9977 D
SAN JOSE, CA - MADE IN U.S.A.

J1000

POLAR-JENNER INDUSTRIES





JPG to PDF Lite

