



621RE

Wheeled Trommel

With over thirty years of experience, McCloskey International is the world's leading trommel manufacturer and has pioneered trommel design and innovation.

Over this time, the 621 Trommel has established a proven reliability in construction and demolition, topsoil, compost, waste recycling, and many other large screening applications.

With a 174 HP engine, accessible engine bay, and high efficiency diesel hydraulic system the 621 is sure to deliver the maximum operating time.

Available as a wheeled mobile unit or hydraulic raise/lower track bogie system and with numerous custom options offered to meet each customer's unique requirements.

Features

- 6'x21' heavy duty trommel drum
- 130kW (174Hp) engine
- Integrated hydraulic folding stockpiling conveyors
- Remote control radial conveyor
- Fast on-site setup time (10 minutes)

Brushes

Ground level adjustable brushes keep the screen clean and rotate away from drum for ease of drum change.

Hopper Capacity

Hopper capacity of 5.0m³ (6.5yd³) with extensions for greater efficiency.

Radial Conveyor

Radial conveyor offers the trommel a 4.98m (16' 4") stockpile height.

Wheeled Mobility

Wheeled unit with 72" spread tandem axle or tri-axle (REG).

Trommel Drum

Features a 6' x 21' steel drum, with numerous drum and screen options available.

Dimensions and Capacities

Engine	130kW (174Hp)
Transport Length	18.52m (60' 9")
Transport Width	2.73m (8' 11.5")
Transport Height	4.12m (13' 6")
Weight	23,470kg (51,750 lbs)
Working Height	5.11m (16' 9")
Working Length	29.13m (95' 7")
Radial Conveyor Stockpile Height	4.98m (16' 4")
Hopper Capacity	5.0m ³ (6.5yd ³)
Drum	6' x 21' (1.83m x 6.40m)

©Copyright 2022 McCloskey International.
All rights reserved. McCloskey is a registered trademark of McCloskey International.

McCloskey International reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. Information at time of print considered accurate — McCloskey International assumes no liability resulting from errors or omissions in this document.