

THERE'S A
NEW SCREENER
ON THE JOB.



AND IT'S GOT
PEOPLE TALKING.



INTRODUCING THE



IT'S ABLE TO GO TO PRACTICALLY ANY JOB SITE.

All it takes is a single-axle dump truck with air brakes. Simple connection is with a pintle hook. No permits are required for highway transport.*



IT'S MORE PRODUCTIVE.

Perfectly matched with 1-4-yard front end loaders, so it works with most machines on the site.

IT'S BIGGER AND MORE POWERFUL.

Construction is heavy-duty, with 17,600 lbs of muscle. Where there's material contact, AR plate is utilized. There's also plenty of horsepower, with a 37-HP Deutz air-cooled diesel.



EZ SCREEN 2000

IT'S MORE VERSATILE THAN COMPETITIVE MODELS.

Bring it on — rip rap, demo debris, rock, sand and gravel, and topsoil. The screen box changes quickly and easily — from grizzly bars to woven meshes to piano wire screens. Check out the wide clearance between the top and bottom decks.

IT'S GOT A BUILT-IN CONVEYOR FOR FINES.

Conveyor folds out from transport mode in a snap.

Belt is a full yard wide, and the conveyor can be raised nearly 9 feet to aid in stockpiling material.



BUT WE SAVED THE BEST FOR LAST: POUND-FOR-POUND, IT'S THE BEST VALUE, SCREENER ON THE MARKET TODAY!

Feature for feature, it's less expensive. The new EZ Screen 2000 simply outmuscles everything. With more weight, more strength, more power and more versatility. We make it EZ.

*Please refer to your local and state regulations pertaining to trailer use.



THE EZ SCREEN 2000 - VITAL STATISTICS

| | |
|------------------------|--------|
| Transport Length: | 25'7" |
| Transport Width: | 8'3" |
| Transport Height: | 9'2" |
| Max. Working Height: | 11'3" |
| Max. Stockpile Height: | 8'10" |
| Max. Tipping Height: | 10'10" |
| Max. Loading Width: | 11'11" |



Transport Ready.



Ready To Work.

FEATURES

- 3-cylinder, air-cooled, 37 HP Deutz diesel (@2150 RPM) with low oil/high temp shutdown
- Loading bucket size range: 1-4 yds.
- Hydraulics raise complete screener 3 feet to accommodate larger loaders
- 6' x 7'7" bolted double-deck screen box with 6" clearance between screen shaft tube and bottom decks
- Engine compartment fully enclosed, lockable, and sound-suppressed for quiet operation
- Fuel tank: 13 gallons; Hydraulic tank: 50 gallons
- Fines conveyor: 36" x 30'
- Tail lights and directional signals
- Four 215/75R17.5 tires



ARGUS INDUSTRIAL CO., L.L.C.

18 West Huron
Pontiac, MI 48342
248 745-5828 Fax 248 745-5825

Machine pictured with
optional equipment

1/99
Specifications subject to
change without notice.