

BARFORD





CONTENTS

SCREENERS/CRUSHERS

SR124 Heavy Duty Screener	3-4
S104 Inclined Screener	5-6
T516 Tracked Trommel	7-8
T512 Tracked Stockpile Conveyor	9
SM312 Wheeled Screener	10-11
US70 Portable Screener	12
J700X500 Jaw Crusher	13
640J PTO Crusher	14-15
BF7042 Bin Feeder	16-17
BF7048M Bin Feeder	18-19
LTF80 Tracked Conveyor	20-21

CONVEYORS

TR100-48 Tracked Conveyor	22-23
TR8048M Tracked Conveyor	24-25
TR8048 Tracked Conveyor	26-27
TR8036 Tracked Conveyor	28-29
TR6536 Stockpile Conveyor	30-31
R6536TR Stockpile Conveyor	32
W5032 Wheeled Conveyor	33-34

TRAILERS

D15 Dump Trailer	35
D16 Dump Trailer	36
MP14 Dump Trailer	37
750I Distribution Trailer	38
L22 Low Loader	39
L27 Low Loader	40



Barford SR124 Heavy Duty Screener





Barford SR124 Heavy Duty 3 Way Split Screen, 12' x 4'2" (3.66m x 1.28m) Screenbox, CAT 4.4 (56kw/75hp), Remote Control Movement, Fits in 40Ft HC Container



Barford SR124

Heavy Duty Screener





Barford S104 Inclined Screener




Barford S104 Track Mounted Screening Machine Inclined 3 Way Split Screen c/w 3m x 1.2m Screenbox, 3A JCB EcoMax Engine 68KW / 91HP, Remote Control Movement




Barford S104 Inclined Screener

SR410



WORKING




TRANSPORT



Barford T516

Tracked Trommel





5'x16' Drum, Variable Screening Angle, Hopper Capacity: 3.8M³, Feeder Belt Width 950mm, Side Conveyor Belt Width 650mm, Transfer Conveyor Belt Width 1050mm, Oversize Conveyor Belt Width 950mm, Chevron Belt, Power Unit: CAT 4.4 74KW Engine, Tracks: 2.9M Tracks * 300mm Shoes, Remote Control Movement



Barford T516

Tracked Trommel





Barford T512 Tracked Stockpile Conveyor



5'x13' Long Direct Drive Drum, Variable Speed Feeder and Drum, Adjustable Brush Tensioners, Hopper Capacity 3.5M3 (4.6Cubic Yards), Feeder Belt Width 900mm, Fines Conveyor Belt Width 900mm, Stockpile Conveyor Belt Width 750mm, Chevron Belt, CAT 2.2 4




Barford SM312 Wheeled Screener



Single Axle Mobile 12' X 4' (3m x 1.29m) Double Deck Screen c/w Double Drive Pump to suit Auxiliary, Extended Folding Fines Conveyor, CAT 2.2 37kw Engine, Removable Towbar



Barford SM312 Wheeled Screener





Barford US70 Portable Skid Mounted Screener



Portable Skid Mounted Electric Drive Double Deck Screener, 1100W Motor, 3.2sqm (70sqft) Total Screening Area, Woven Wire Mesh, Extra Wide 3-Sided Enclosed Support Frame, Deck Sorters & Divider to give 3 Product Grades.



Barford J700X500 Jaw Crusher



Barford 7x5 - 700x500 Electric Powered Hook Lift Jaw Crusher



Barford 640J PTO Jaw Crusher









**600 x 400 (24"x16") Direct Drive PTO Jaw Crusher, Removable Folding Discharge Conveyor, Hydraulic Jack Legs, Recommended Tractor Requirement 100HP.
Also available with an Over Band Magnet**



Barford 640J

PTO Jaw Crusher






Barford BF7042 Tracked Bin Feeder



Tracked Bin Feeder 70ft x 42", Twin Drive Discharge Belt, Hyd Slew Hubs, Hyd legs under Feeder, Hyd Fold on Discharge, Galvanized Legs & Check Valves in Rams, Cat 4.4, Elect Auto-mation Control Movement (Fits in 45Ft HQ Container)



Barford BF7042 Tracked Bin Feeder





Barford BF7048M Tracked Bin Feeder




Barford BF7048M - Tracked Bin Feeder 70ft x 48", Twin Drive Discharge Belt, Hyd Slew Hubs, Hyd legs under Feeder, Hyd Fold on Discharge, Galvanized Legs & Check Valves in Rams, Cat 4.4, Elect Automation Control Movement c/w Reversible Hydraulic Mulch Agitator/Auger



Barford BF7048M Tracked Bin Feeder

FIRST ANGLE PROJECTION. IF IN DOUBT ASK?



BARFORD

CUSTOMER	PROJECT		
	70 FOOT 0-6 X 48" WIDE CONVEYOR WITH HOPPER, BELT FEEDER & 4300 LONG HOPPER		
DATE 00/01/18	PROJECTION THIRD ANGLE	DWG NO.	ES-7048-BF-4200-MUL
			DRAWN BY: SML




Barford LTF80 Tracked Conveyor



Tracked Low Level Conveyor 80ft x 48", Twin Gearbox Drive, Twin Drive Discharge Belt, Cast Iron Pumps, Hyd Slew Hubs, Hyd legs under Feeder, Hyd Fold on Discharge, Galvanized Legs & Check Valves in Rams, Cat 4.4 LRC Accert 96kw Engine, Elect Automation



Barford LTF80 Tracked Conveyor






Barford TR100-48 Tracked Conveyor



Tracked Conveyor 100ft x 48", Twin Drive, Hyd Slew Hubs, Hyd Raise/Lower, Hyd Head Fold, Galvanized Legs & Guards, Cat 4.4 Engine & Hyd Oil Cooler, Remote Control Movement, Central Greasing



Barford TR100-48 Tracked Conveyor



BARFORD

CUSTOMER	PROJECT 100 FOOT X 48" (1200MM) WIDE CONVEYOR		
	GENERAL ARRANGEMENT DWG		
DATE 31/01/2	PROJECTION THIRD ANGLE	DWG NO. BF-10048-GA-01-LH	REV.
		SCALE	




Barford TR8048M Tracked Conveyor



Barford TR8048M - Tracked Conveyor 80ft x 48", Reversible Hydraulic Auger/Agitator Attachment, Twin Drive, Hyd Slew Hubs, Hyd Raise/Lower, Hyd Head Fold, Galvanized Legs & Guards, Cat 4.4 Engine & Hyd Oil Cooler, Remote Control Movement, Central Greasing



Barford TR8048M Tracked Conveyor



BARFORD

CUSTOMER
PROJECT
80 FOOT G-G X 48" WIDE CONVEYOR
GENERAL ARRANGEMENT DWG

DATE
000912
PROJECTION
THIRD ANGLE
DWG NO. ES-8048-GA-01
SCALE
DRAWN BY: SMC
REV
2






Barford TR8048 Tracked Conveyor



Tracked Conveyor 80ft x 48", Twin Drive, Hyd Slew Hubs, Hyd Raise/Lower, Hyd Head Fold, Galvanized Legs & Guards, Cat 2.2 Turbo Engine & Hyd Oil Cooler, Remote Control Movement, Central Greasing



Barford TR8048 Tracked Conveyor



INTERNAL DIMENSIONS OF A HIGH SHIPPING CONTAINER

BARFORD

CUSTOMER	PROJECT 80 FOOT C-G X 48" WIDE CONVEYOR GENERAL ARRANGEMENT DWG	DWG NO. ES-7548-CA-01	REV 2
DATE 060812	PROJECTION THIRD ANGLE	SCALE	DRAWN BY SMC



Barford TR8036 Tracked Conveyor






Tracked Conveyor 80ft x 36". Twin Drive. Hyd Slew Hubs. Hyd Raise/Lower. Hyd Head Fold. Galvanized Legs & Guards. Cat 2.2 Turbo Engine & Hyd Oil Cooler, Remote control movement, Central greasing



Barford TR8036 Tracked Conveyor

Specification

- 24m (80ft) long Conveyor
- 900mm (36") Heavy 3 ply Belt
- CAT 2.2 engine 45kw (60hp)
- Lockable engine compartment
- Flashing beacon and warning siren
- Head & Tail Scrapers
- Hydraulic Oil Cooler and Fluted Tank
- On 3.0m Track x 400mm Shoe
- OMV 400 Twin Drive Head Motors
- Flexible drive couplings
- Electric Automation Controls
- Dog Lead remote control movement
- Large Feed Boot c/w 10mm rubber liners
- Full conveyor side skirts
- Impact Bar System under Feed Area
- Hydraulic Head & Tail Folding
- Centralised grease points
- Galvanised guards & telescopic legs



INTERNAL DIMENSIONS OF A HIGH SHIPPING CONTAINER

Barford Equipment Ltd

**TR8036
Tracked Stockpile
Conveyor**

Date:- 01/01/2017 TR8036-GA-001





Barford TR6536 Tracked Stockpile Conveyor



Barford TR6536 Tracked Stockpile Conveyor 65ft x 36" c/w Large Rubber Lined Feed Hopper, Galvanized Inner Telescopic Legs, Galvanized Roller Guards, Cat 2.2 engine



Barford TR6536 Tracked Stockpile Conveyor



Internal sizes of 40ft High Cube Shipping Container


Specification

- 65ft long Conveyor
- 900mm wide Heavy 3 ply Belt
- CAT 2.2 engine (50hp)
- Lockable engine compartment
- Flashing beacon and warning siren
- Head & Tail Scrapers
- Hydraulic Oil Cooler and Fluted Tank
- On 2.5 metre Track x 400mm Shoe
- OMV 500 Head Drive
- Flexible drive coupling
- Electric Automation Controls
- Dog Lead remote control movement
- Large Feed Boot c/w rubber liners
- 3m long conveyor side skirts
- Impact Bar System under Feed Area
- Hydraulic Head Folding
- Centralised grease points
- Galvanised guards & telescopic legs

Barford Equipment Ltd

**TR6536
Tracked Conveyor**

Date:- 01/01/2017 TR-6536-GA-001





Barford R6536TR Tracked Stockpile Conveyor



Radial Tracked Stockpile Conveyor 65ft x 36", Hydraulic Drive Slewing Wheels, Crawler Tracks at Feed Hopper, Rubber Lined Feed Hopper. Hydraulic Raise/Lower. Galvanized Inner Telescopic Legs. Galvanized Roller Guards. Cat 2.2 Engine



Barford W5032 Wheeled Conveyor







Radial Wheeled Stockpiler, Hydraulic Drive, 15.0m x 800mm Conveyor, 250 Tons per Hour



Barford W5032 Wheeled Conveyor

6no. W5032 Units:-
40ft High Cube Container



Specification

- 50ft long Conveyor
- 800mm wide 2 ply Belt (5mm cover)
- Base Ballast Weight
- Hydraulic plug-in drive
- Head & Tail Scrapers
- 9.00x15.3 Swivelling Wheels
- 10/75 15.3 10 ply Tubeless Tyres
- OMV 400 Head Drive
- Flexible drive coupling
- Feed Boot c/w rubber liners
- Clustered rollers under Feed Area
- Head Section Folding
- Centralised grease points
- Galvanised guards & telescopic legs

Barford Equipment Ltd

**W5032
Wheeled Conveyor**

Date:- 01/01/2017 W-5032-GA-001



Barford D15 Dump Trailer



15 Ton Twin Axle Dump Trailer c/w Sprung Draw Bar, Hydraulic Up & Over Tail Door, Hydraulic brakes, 10 stud axle, Mudguards, Mud Flaps, LED Lights



Barford D16 Dump Trailer



16 Ton Twin Axle Dump Trailer c/w Sprung Draw Bar, Hydraulic Up & Over Tail Door, Hydraulic brakes, 10 stud axle, Mudguards, Mud Flaps, LED Lights



Barford MP14 Dump Trailer



14 Ton Twin Axle Multi Purpose Dump Trailer c/w Aluminium Ramps, Sprung Draw Bar
Options: Commercial Axles, Air Brakes, Hardox Floor



Barford 750l Material Distribution Trailer



Twin Axle material distribution trailer c/w 10 stud axles, transfer & front sliding conveyor, 3ply 5mm cover belt



Barford L22 Low Loader



19 Ton Twin Axle Low Loader 22ft Long Chassis, Twin Sprung Braked 8 stud Axles c/w Twin Wheels, Sprung Drawbar, Solid Sprung Ramps, Timber Floor, Bucket Well, 2no. Tool boxes. Options: Commercial Axles, Air Brakes, Hydraulic Ramps, Bale Wedge, Bale Rack



Barford L27 Low Loader



27 Ton Tri Axle Low Loader 28ft Long Chassis, Twin Sprung Braked 8 Stud Axles, Hydraulic Brakes, Twin Wheels, Sprung Drawbar, Timber Floor, Bucket Well, Heavy Duty Ramps
Options: Commercial Axles, Air Brakes, Hydraulic Ramps, Bale Wedge, Bale Rack