


GRINDERCRUSHERSCREEN.com

Your 1st Stop for used Recycling Equipment

West Coast
971.344.0001

East Coast
770.433.2670

GCS Pit Portable Radial Stacking Conveyors



Available Sizes:

- 24"x 60'
- 24"x 80'
- 24"x 100'
- 24"x 120'
- 36"x 60'
- 36"x 80'
- 36"x 100'
- 48"x 60'
- 48"x 80'

email us today! sales@grindercrushercreen.com

24" x 60'

- Discharge Height: 19'High (18') - 2 Adjustments
- 36" Deep truss, 3x3x1/4 Cord Angle, 2x2x 1/4 Lattice
- 8" x 8" Tubing Axle, 16" Tires & Wheels
- Lagged head Pulley: 16" Diameter, 2 3/16" Shaft
- Winged Tail Pulley: 14" Diameter, 2 3/16" Shaft
- 7.5 hp, TEFC, 1,800 RPM, 230/460 Volt
- Pioneer 5" CEMA C Idlers

Options:

Catwalk

Power Travel

3-Ply Belt

Belt Scraper

Chevron Belting

*Assembly Required

24" x 80'

- Discharge Height: 25'High (18') - 2 Adjustments
- 36" Deep truss, 3x3x1/4 Cord Angle, 2x2x 1/4 Lattice
- 8" x 8" Tubing Axle, 20" Tires & Wheels
- Lagged head Pulley: 16" Diameter, 2 7/16" Shaft
- Winged Tail Pulley: 14" Diameter, 2 7/16" Shaft
- 15 hp, TEFC, 1,800 RPM, 230/460 Volt
- Pioneer 5" CEMA C Idlers

Options:

Catwalk

Power Travel

3-Ply Belt

Belt Scraper

*Assembly Required

email us today! sales@grindercrusherscreen.com

24" x 100'

- Discharge Height: 31' High (18') - 4 Adjustments
- 36" Deep truss, 4x3x1/4 Cord Angle, 2x2x 1/4 Lattice
- 10" x 10" Tubing Axle, 20" Tires & Wheels
- Lagged head Pulley: 16" Diameter, 2 15/16" Shaft
- Winged Tail Pulley: 14" Diameter, 2 15/16" Shaft
- 20 hp, TEFC, 1,800 RPM, 230/460 Volt
- Pioneer 5" CEMA C Idlers

Options:**Catwalk****Power Travel****3-Ply Belt****Belt Scraper*****Assembly Required****24" x 120'**

- Discharge Height: 37' High (18') - 4 Adjustments
- 48" Deep truss, 4x3x5/16 Cord Angle, 2x2x 1/4 Lattice
- Lagged head Pulley: 18" Diameter, 3 7/16" Shaft
- Winged Tail Pulley: 14" Diameter, 2 15/16" Shaft
- 25 hp, TEFC, 1,800 RPM, 230/460 Volt
- Pioneer 5" CEMA C Idlers

Options:**Catwalk****Power Travel****Belt Scraper*****Assembly Required****email us today! sales@grindercrusherscreen.com**

36" x 60'

- Discharge Height: 19'High (18') - 2 Adjustments
- 36" Deep truss, 3x3x1/4 Cord Angle, 2x2x 1/4 Lattice
- 8" x 8" Tubing Axle, 16" Tires & Wheels
- Lagged head Pulley: 16" Diameter, 2 7/16" Shaft
- Winged Tail Pulley: 14" Diameter, 2 7/16" Shaft
- 15 hp, TEFC, 1,800 RPM, 230/460 Volt
- Pioneer 5" CEMA C Idlers

Options:

Catwalk

Power Travel

Belt Scraper

Chevron Belting

*Assembly Required

36" x 80'

- Discharge Height: 25'High (18') - 2 Adjustments
- 36" Deep truss, 3x3x1/4 Cord Angle, 2x2x 1/4 Lattice
- 8" x 8" Tubing Axle, 20" Tires & Wheels
- Lagged head Pulley: 16" Diameter, 2 15/16" Shaft
- Winged Tail Pulley: 14" Diameter, 2 15/16" Shaft
- 20 hp, TEFC, 1,800 RPM, 230/460 Volt
- Pioneer 5" CEMA C Idlers

Options:

Catwalk

Power Travel

3-Ply Belt

Belt Scraper

*Assembly Required

email us today! sales@grindercrusherscreen.com

36" x 100'

- Discharge Height: 31' High (18') - 4 Adjustments
- 36" Deep truss, 4x3x5/16 Cord Angle, 2x2x 1/4 Lattice
- Wrap Type mid drive
- Lagged head Pulley: 18" Diameter, 2 15/16" Shaft
- Winged Tail Pulley: 14" Diameter, 2 15/16" Shaft
- 25 hp, TEFC, 1,800 RPM, 230/460 Volt
- Pioneer 5" CEMA C Idlers

Options:**Catwalk****Power Travel****3-Ply Belt****Belt Scraper*****Assembly Required****48" x 60'**

- Discharge Height: 19' High (18') - 2 Adjustments
- 36" Deep truss, 4x3x5/16 Cord Angle, 2x2x 1/4 Lattice
- Lagged head Pulley: 20" Diameter, 2 5/16" Shaft
- Winged Tail Pulley: 14" Diameter, 2 7/16" Shaft
- 20 hp, TEFC, 1,800 RPM, 230/460 Volt
- Pioneer 5" CEMA C Idlers

Options:**Catwalk****Power Travel****Belt Scraper*****Assembly Required****email us today! sales@grindercrusherscreen.com**

48" x 80'

- Discharge Height: 25' High (18') - 2 Adjustments
- 36" Deep truss, 4x3x5/16 Cord Angle, 2x2x 1/4 Lattice
- Lagged head Pulley: 16" Diameter, 3 7/16" Shaft
- Winged Tail Pulley: 14" Diameter, 3 7/16" Shaft
- 30 hp, TEFC, 1,800 RPM, 230/460 Volt
- Pioneer 5" CEMA C Idlers

Options:

Catwalk

Power Travel

Belt Scraper

Chevron Belting

*Assembly Required

email us today! sales@grindercrusherscreen.com

West Coast 971.344.0001

770.433.2670 East Coast