

Semi-automatic vertical metal circular saw MKS 350 VH Set Special



Two speeds, double miter and quick-release vice with anti-burr device

Article Number ▾

3623350SET

Additional Costs ▾

Total 70.00 €

TPZ500 70.00 €

Availability ▾

No stock available

Delivery time on request

Next availability

Expected on calendar week 47/2020

Brand ▾

Metalkraft

Catalog Path ▾

Metalworking machines » Metal circular saws » Vertical metal circular saws semi-automatic



Order ▾

Minimum 1 pc(s).

Shipment Informations ▾

Packaging Metrics		Weights		Delivery	
Length	n/a	Gross	480 kg	Delivery	Carrier
Width	n/a	Net	480 kg	Content	1 pc(s).
Height	n/a				

Description ▾

- Stable and robust construction
- Simple and easy operation
- Two cutting speeds
- Machine head, vertically guided, with dovetail guide and adjustable wedge strip, 45 ° to the left and 60 ° to the right, with locking at 45 °, 0 °, -45 °, -60 °
- Adjustable depth stop for the vertical stroke of the saw head
- Reduction gear quietly running in oil bath
- Coolant pump with coolant filter
- Coolant jet distribution for better lubrication of the saw blade
- Transversely displaceable pneumatic quick-action vise with Antrigratvorrichtung
- Chipbreaker for blade cleaning
- Electrical system in low voltage 24 volts, with emergency stop switch, main switch, speed selector switch, undervoltage release and overload protection
- Quality Made in Europe

Functionality semi-automatic

- Closing the vice and activating the motor
- Lowering the saw head to cut
- Stopping the engine and returning the saw head to its original position
- Opening the vise

Delivery Contents

- Vertical metal circular saw MKS 350 VH
- Material roller conveyor 1000 mm
- Coolant device with filter
- Length stop 500 mm
- operating tool
- HSS saw blade ZT4

Technical Data

General Features			
Saw blade speed(s)	36/72 min ⁻¹	Saw blade diameter	370 mm
Miter angle	-45 – +60 °		
Dimensions and weights			
Length (product) approx.	2640 mm	Width/depth (product) approx.	1200 mm
Height (product) approx.	2000 mm	Net weight approx.	480 kg
Electric Data			
Drive motor output	1.9/2.5 kW	Supply voltage	400 V
Phase(s)	3 Ph	Current type	AC
Mains frequency	50 Hz		
Cutting capacity			
Cutting capacity 0° (round) solid material	100 mm	Cutting capacity 0° (round) pipe	100 mm
Cutting capacity 0° (square) pipe	90 x 90 mm	Cutting capacity 0° (rectangle) pipe	170 x 90 mm
Cutting capacity -45° (round) solid material	100 mm	Cutting capacity -45° (round) pipe	100 mm
Cutting capacity -45° (square) pipe	90 x 90 mm	Cutting capacity -45° (rectangle) pipe	125 x 90 mm
Cutting capacity +45° (round) solid material	100 mm	Cutting capacity +45° (round) pipe	100 mm
Cutting capacity +45° (square) pipe	90 x 90 mm	Cutting capacity +45° (rectangle) pipe	125 x 90 mm
Cutting capacity +60° (round) solid material	90 mm	Cutting capacity +60° (round) pipe	90 mm
Cutting capacity +60° (square) pipe	90 x 90 mm	Cutting capacity +60° (rectangle) pipe	90 x 90 mm

Set Articles



Semi-automatic vertical metal circular saw MKS 350 VH

Two speeds, double miter and quick-release vice with anti-burr device

Article Number ▼

3623350

Availability ▼

No stock available
Delivery time on request
Next availability
Expected on calendar week
47/2020

Order ▼

Minimum 1 pc(s).

Price Informations ▼



HSS saw blade DM05 Ø 350 x 2.5 x 32 mm t4

Article Number ▼

3653504

Availability ▼

In stock
Immediate delivery

Order ▼

Minimum 1 pc(s).

Price Informations ▼



The prices quoted are subject to change. Price changes reserved. Our terms and conditions apply. Jurisdiction is Bamberg. The place of performance is Hallstadt as agreed.